
WHITEHEAD
PRINCIPIA
MATHEMATICA
T

Mathematics QA
9
.W592p
vol.1



<sup>k</sup>136 Mathematics I idola A of alpha K x Kapper E 6 styria B B Beta Mu Mu To Upadon T y gamma 4 5 Delta No Mu & p Phi Elle Xi X X Chi O o Omer y y Pai O maya F E Epsilon Z J Zeta Hn eta HH Ph O o Theta △ 8 35 37 15 . 9,38 N. U

*				
		•		

## PRINCIPIA MATHEMATICA

### CAMBRIDGE UNIVERSITY PRESS

\*\*London: FETTER LANE, E.C. C. F. CLAY, MANAGER



Edinburgh: 100, PRINCES STREET

Berlin: A. ASHER AND CO.

Leipzig: F. A. BROCKHAUS Aew York: G. P. PUTNAM'S SONS

Bombay and Calcutta: MACMILLAN AND CO., LTD.

All rights reserved

## PRINCIPIA MATHEMATICA

BY

## ALFRED NORTH WHITEHEAD, Sc.D., F.R.S.

Fellow and late Lecturer of Trinity College, Cambridge

AND

BERTRAND RUSSELL, M.A., F.R.S.

Lecturer and late Fellow of Trinity College, Cambridge

### VOLUME I

Cambridge at the University Press

## Cambridge:

PRINTED BY JOHN CLAY, M.A.

AT THE UNIVERSITY PRESS

## CONTENTS OF VOLUME I

												PAGE
PREFACE		•		•		•		•	•	•	•	v
INTRODUCT	CION	•										1 .
CHAPTER	I. PRELIMINARY	Explan	ATIO	ns oi	FIDE	EAS A	nd 1	Nota:	rions			4
CHAPTER	II. THE THEORY	of Loc	GICAL	Tyı	PES			•		•		<b>3</b> 9
CHAPTER	III. INCOMPLETE	Sумво	LS	•							•	69
PART I. M	ATHEMATICAL	LOGIC	).									
Sum	mary of Part I .	•				•						91
Section	A. THE THEORY	or Ded	UCTIO	ON			•			•		94
<b>*1</b> .	Primitive Ideas a	nd Pro	posit	ions								95
*2.	Immediate Conse					-	rope	sition	ıs			102
*3.	The Logical Prod											114
* <b>4</b> .	Equivalence and											120
*5.	Miscellaneous Pro			•	•	•				•	•	128
SECTION	B. THEORY OF A	PARENT	V <sub>A</sub>	RIABI	LES					•		132
<b>*9</b> .	Extension of the	Theor	v of	Ded	uctio	n fro	m T	ower	to	High	er	
Α	Types of Prop							•				132
*10.	Theory of Propos											143
*11.	Theory of two A							•				157
*12.	The Hierarchy of											168
*13.	Identity	- Jpos										176
*14.	Descriptions .	•		•	•		•	•	•	•		181
SECTION	C. CLASSES AND	RELATIO	ons									196
<b>*20</b> .	General Theory	of Class	es									196
<b>*21</b> .	General Theory											211
<b>*22</b> .	Calculus of Class											217
<b>*23</b> .	Calculus of Relat								•	•		226
<b>*24</b> .	The Universal Cla		Null	-Clas	s, an	d the	Exis	stence		lasses	š .	229
<b>*25</b> .	The Universal Re											j
	Relations .	,						_				241

## CONTENTS

	D. Logic of Relations		•
<b>*30</b> .	Descriptive Functions		
<b>*31</b> .	Converses of Relations		
<b>*32</b> .	Referents and Relata of a given Term with respect to Relation		
<b>*33</b> .	Domains, Converse Domains, and Fields of Relations.		
<b>*34</b> .			
<b>*35</b> .			
<b>*36</b> .			
<b>*37</b> .	=		
<b>*38</b> .	Relations and Classes derived from a Double Descriptive	Fur	iction
	Note to Section D	•	
Section	E. PRODUCTS AND SUMS OF CLASSES		
<b>*4</b> 0.	Products and Sums of Classes of Classes		
<b>*41</b> .	The Product and Sum of a Class of Relations		
<b>*42</b> .	Miscellaneous Propositions		
<b>*4</b> 3.	The Relations of a Relative Product to its Factors .		
RT II.	PROLEGOMENA TO CARDINAL ARITHMETIC.		
Sum	mary of Part II		
SECTION	A. Unit Classes and Couples		
<b>*50</b> .		•	•
*50. *51.	Identity and Diversity as Relations		
*51. *52.	Unit Classes		
*52. *53.	The Cardinal Number 1		•
*55. *54.	Cardinal Couples		•
*5 <del>1</del> .	Ordinal Couples		•
*56.	The Ordinal Number $2_r$ .		
SECTION	B. SUB-CLASSES, SUB-RELATIONS, AND RELATIVE TYPES		
<b>*60</b> .	The Sub-Classes of a given Class		
<b>*61</b> .	The Sub-Relations of a given Relation		
<b>*62</b> .	The Relation of Membership of a Class		•
<del>×</del> 04.	Relative Types of Classes	•	•
*62. *63.	Deleting M. C.D.14:		•
<b>*63</b> .	On the Typical Definition of Ambiguous Symbols .	•	
*63. *64. *65.			
*63. *64. *65.	On the Typical Definition of Ambiguous Symbols .  C. One-Many, Many-One, and One-One Relations .  Relations whose Classes of Referents and of Relata belong		given
*63. *64. *65.	On the Typical Definition of Ambiguous Symbols .  C. One-Many, Many-One, and One-One Relations .  Relations whose Classes of Referents and of Relata belong Classes		given
*63. *64. *65. Section *70.	On the Typical Definition of Ambiguous Symbols  C. One-Many, Many-One, and One-One Relations.  Relations whose Classes of Referents and of Relata belon Classes.  One-Many, Many-One, and One-One Relations.  Miscellaneous Propositions concerning One-Many, Many	•	
*63. *64. *65. Section *70.	On the Typical Definition of Ambiguous Symbols .  C. One-Many, Many-One, and One-One Relations .  Relations whose Classes of Referents and of Relata belong Classes	•	

	CONTENTS					xiii
						PAGE
SECTION	D. Selections		•	•		500
<b>*80</b> .	Elementary Properties of Selections					505
<b>*81</b> .	Selections from Many-One Relations					519
<b>*82</b> .	Selections from Relative Products.					524
<b>*83</b> .	Selections from Classes of Classes.					531
<b>*84</b> .	Classes of Mutually Exclusive Classes					540
<b>*85</b> .	Miscellaneous Propositions					549
<b>*88</b> .	Conditions for the Existence of Selection					561
Section	E. INDUCTIVE RELATIONS					569
<b>*90</b> .	On the Ancestral Relation					576
<b>*91</b> .	On Powers of a Relation					585
<b>*92</b> .	Powers of One-Many and Many-One R	Rela	tions		•	601
<b>*93</b> .	Inductive Analysis of the Field of a I	Rela	tion			607
<b>*94</b> .	On Powers of Relative Products .					617
<b>*95</b> .	On the Equi-factor Relation					626
<b>*96</b> .	On the Posterity of a Term					637
<b>*97</b> .	Analysis of the Field of a Relation in					654

# ALPHABETICAL LIST OF PROPOSITIONS REFERRED TO BY NAMES.

```
Name
                         Number
    Abs
                         *2·01.
                                        \vdash: p \supset \sim p.\supset. \sim p
    Add
                         *1.3.
                                        F:q.D.pvq
    Ass
                         *3·35.
                                       \vdash: p.p \supset q. \supset .q
   Assoc
                        *1·5.
                                       \vdash : p \mathbf{v} (q \mathbf{v} r) . \mathbf{D} . q \mathbf{v} (p \mathbf{v} r)
   Comm
                                       \vdash :. p. \supset . q \supset r : \supset : q. \supset . p \supset r
                        *2<sup>.</sup>04.
   Comp
                        *3<sup>.</sup>43.
                                      \vdash :: p \supset q \cdot p \supset r \cdot \supset : p \cdot \supset \cdot q \cdot r
   Exp
                                       \vdash :: p.q. \supset .r: \supset : p. \supset .q \supset r
                        *3·3.
  Fact
                                       F:.poq.o:p.r.o.q.r
                       *3·45.
  Id ·
                       *2·08.
                                      \vdash . p \supset p
  Imp
                       *3.31. \vdash :. p. \supset . q \supset r: \supset : p. q. \supset . r
  Perm
                                      \vdash : p \lor q . \supset . q \lor p
                       *1·4.
 Simp
                                     \vdash:q. \supset p \supset q
                       *2·02.
                      *3.26. \vdash : p.q. \supset .p
     ,,
                      *3.27. \vdash : p.q. \supset .q
     ,,
 Sum
                                     \vdash :: q \supset r. \supset : p \lor q. \supset . p \lor r
                      *1·6.
Syll
                     *2.05. \vdash :: q \supset r . \supset : p \supset q . \supset . p \supset r
                                    \vdash :. p \supset q. \supset : q \supset r. \supset . p \supset r
                     *2.06.
    ,,
                     *3.33. \vdash : p \supset q \cdot q \supset r \cdot \supset \cdot p \supset r
   ,,
                     *3·34. \vdash: q \supset r \cdot p \supset q \cdot \supset \cdot p \supset r
   ,,
Taut
                     *1·2.
                                    \vdash: p \lor p. \supset .p
Transp
                                    	ext{F:} p \, \mathbf{J} \sim q \, . \, \mathbf{J} . \, q \, \mathbf{J} \sim p
                     *2·03.
                                    \vdash: \sim p \supset q . \supset . \sim q \supset p
                     *2·15.
     ,,
                    *2·16.
                                   \vdash : p \supset q . \supset . \sim_{\mathbf{Q}q} \supset \sim p
                                  \vdash: \sim q \supset \sim p. \supset .p \supset q
                    *2 17.
                                   	ext{ } 	ext{ } : p.q. 	ext{ } 	ext{ } : p. \sim r. 	ext{ } 	ext{ } : \sim q
                    *3·37.
                                   \vdash : p \supset q . \equiv . \sim q \supset \sim p
                    *4·1.
                                dash : p \equiv q \centerdot \equiv \centerdot \sim p \equiv \sim q
                   *4·11.
   ,,
```

#### ERRATA.

- p. 14, line 2, for "states" read "allows us to infer."
- p. 14, line 7, after "\*3.03" insert "\*1.7, \*1.71, and \*1.72."
- p. 15, last line but one, for "function of  $\phi \hat{x}$ " read "function  $\phi \hat{x}$ ."
- p. 34, line 15, for "x" read "R."
- p. 68, line 20, for "classes" read "classes of classes."
- p. 86, line 2, after "must" insert "neither be nor."
- p. 91, line 8, delete "and in \*3.03."
- p. 103, line 7, for "assumption" read "assertion."
- p. 103, line 25, at end of line, for "q" read "r."
- p. 218, last line but one, for " $\Lambda$ " read " $\dot{\Lambda}$ " [owing to brittleness of the type, the same error is liable to occur elsewhere].
- p. 382, last line but one, delete "in the theory of selections (\*83.92) and."
- p. 487, line 13, for "\*95" read "\*94."
- p. 503, line 14, for "\*88.38" read "\*88.36."

• 

## PREFACE

THE mathematical treatment of the principles of mathematics, which is L the subject of the present work, has arisen from the conjunction of two different studies, both in the main very modern. On the one hand we have the work of analysts and geometers, in the way of formulating and systematising their axioms, and the work of Cantor and others on such matters as the theory of aggregates. On the other hand we have symbolic logic, which, after a necessary period of growth, has now, thanks to Peano and his followers, acquired the technical adaptability and the logical comprehensiveness that are essential to a mathematical instrument for dealing with what have hitherto been the beginnings of mathematics. From the combination of these two studies two results emerge, namely (1) that what were formerly taken, tacitly or explicitly, as axioms, are either unnecessary or demonstrable; (2) that the same methods by which supposed axioms are demonstrated will give valuable results in regions, such as infinite number, which had formerly been regarded as inaccessible to human knowledge. Hence the scope of mathematics is enlarged both by the addition of new subjects and by a backward extension into provinces hitherto abandoned to philosophy.

The present work was originally intended by us to be comprised in a second volume of The Principles of Mathematics. With that object in view, the writing of it was begun in 1900. But as we advanced, it became increasingly evident that the subject is a very much larger one than we had supposed; moreover on many fundamental questions which had been left obscure and doubtful in the former work, we have now arrived at what we believe to be satisfactory solutions. It therefore became necessary to make our book independent of The Principles of Mathematics. We have, however, avoided both controversy and general philosophy, and made our statements dogmatic in form. The justification for this is that the chief reason in favour of any theory on the principles of mathematics must always be inductive, i.e. it must lie in the fact that the theory in question enables us to deduce ordinary mathematics. In mathematics, the greatest degree of self-evidence is usually not to be found quite at the beginning, but at some later point; hence the early deductions, until they reach this point, give reasons rather

vi PREFACE

for believing the premisses because true consequences follow from them, than for believing the consequences because they follow from the premisses.

In constructing a deductive system such as that contained in the present work, there are two opposite tasks which have to be concurrently performed. On the one hand, we have to analyse existing mathematics, with a view to discovering what premisses are employed, whether these premisses are mutually consistent, and whether they are capable of reduction to more fundamental premisses. On the other hand, when we have decided upon our premisses, we have to build up again as much as may seem necessary of the data previously analysed, and as many other consequences of our premisses as are of sufficient general interest to deserve statement. The preliminary labour of analysis does not appear in the final presentation, which merely sets forth the outcome of the analysis in certain undefined ideas and undemonstrated propositions. It is not claimed that the analysis could not have been carried farther: we have no reason to suppose that it is impossible to find simpler ideas and axioms by means of which those with which we start could be defined and demonstrated. All that is affirmed is that the ideas and axioms with which we start are sufficient, not that they are necessary.

In making deductions from our premisses, we have considered it essential to carry them up to the point where we have proved as much as is true in whatever would ordinarily be taken for granted. But we have not thought it desirable to limit ourselves too strictly to this task. It is customary to consider only particular cases, even when, with our apparatus, it is just as easy to deal with the general case. For example, cardinal arithmetic is usually conceived in connection with finite numbers, but its general laws hold equally for infinite numbers, and are most easily proved without any mention of the distinction between finite and infinite. Again, many of the properties commonly associated with series hold of arrangements which are not strictly serial, but have only some of the distinguishing properties of serial arrangements. In such cases, it is a defect in logical style to prove for a particular class of arrangements what might just as well have been proved more generally. An analogous process of generalization is involved, to a greater or less degree, in all our work. We have sought always the most general reasonably simple hypothesis from which any given conclusion could be reached. For this reason, especially in the later parts of the book, the importance of a proposition usually lies in its hypothesis. The conclusion will often be something which, in a certain class of cases, is familiar, but the hypothesis will, whenever possible, be wide enough to admit many cases besides those in which the conclusion is familiar.

We have found it necessary to give very full proofs, because otherwise it is scarcely possible to see what hypotheses are really required, or whether

PREFACE vii

our results follow from our explicit premisses. (It must be remembered that we are not affirming merely that such and such propositions are true, but also that the axioms stated by us are sufficient to prove them.) At the same time, though full proofs are necessary for the avoidance of errors, and for convincing those who may feel doubtful as to our correctness, yet the proofs of propositions may usually be omitted by a reader who is not specially interested in that part of the subject concerned, and who feels no doubt of our substantial accuracy on the matter in hand. The reader who is specially interested in some particular portion of the book will probably find it sufficient, as regards earlier portions, to read the summaries of previous parts, sections, and numbers, since these give explanations of the ideas involved and statements of the principal propositions proved. The proofs in Part I, Section A, however, are necessary, since in the course of them the manner of stating proofs is explained. The proofs of the earliest propositions are given without the omission of any step, but as the work proceeds the proofs are gradually compressed, retaining however sufficient detail to enable the reader by the help of the references to reconstruct proofs in which no step is omitted.

The order adopted is to some extent optional. For example, we have treated cardinal arithmetic and relation-arithmetic before series, but we might have treated series first. To a great extent, however, the order is determined by logical necessities.

A very large part of the labour involved in writing the present work has been expended on the contradictions and paradoxes which have infected logic and the theory of aggregates. We have examined a great number of hypotheses for dealing with these contradictions; many such hypotheses have been advanced by others, and about as many have been invented by ourselves. Sometimes it has cost us several months' work to convince ourselves that a hypothesis was untenable. In the course of such a prolonged study, we have been led, as was to be expected, to modify our views from time to time; but it gradually became evident to us that some form of the doctrine of types must be adopted if the contradictions were to be avoided. The particular form of the doctrine of types advocated in the present work is not logically indispensable, and there are various other forms equally compatible with the truth of our deductions. We have particularized, both because the form of the doctrine which we advocate appears to us the most probable, and because it was necessary to give at least one perfectly definite theory which avoids the contradictions. But hardly anything in our book would be changed by the adoption of a different form of the doctrine of types. In fact, we may go farther, and say that, supposing some other way of avoiding the contradictions to exist, not very much of our book, except what explicitly deals with types, is dependent upon the adoption of the doctrine of types in any form, so soon as it has been shown (as we claim

viii PREFACE

that we have shown) that it is *possible* to construct a mathematical logic which does not lead to contradictions. It should be observed that the whole effect of the doctrine of types is negative: it forbids certain inferences which would otherwise be valid, but does not permit any which would otherwise be invalid. Hence we may reasonably expect that the inferences which the doctrine of types permits would remain valid even if the doctrine should be found to be invalid.

Our logical system is wholly contained in the numbered propositions, which are independent of the Introduction and the Summaries. The Introduction and the Summaries are wholly explanatory, and form no part of the chain of deductions. The explanation of the hierarchy of types in the Introduction differs slightly from that given in \*12 of the body of the work. The later explanation is stricter and is that which is assumed throughout the rest of the book.

The symbolic form of the work has been forced upon us by necessity: without its help we should have been unable to perform the requisite reasoning. It has been developed as the result of actual practice, and is not an excrescence introduced for the mere purpose of exposition. The general method which guides our handling of logical symbols is due to Peano. His great merit consists not so much in his definite logical discoveries nor in the details of his notations (excellent as both are), as in the fact that he first showed how symbolic logic was to be freed from its undue obsession with the forms of ordinary algebra, and thereby made it a suitable instrument for research. Guided by our study of his methods, we have used great freedom in constructing, or reconstructing, a symbolism which shall be adequate to deal with all parts of the subject. No symbol has been introduced except on the ground of its practical utility for the immediate purposes of our reasoning.

A certain number of forward references will be found in the notes and explanations. Although we have taken every reasonable precaution to secure the accuracy of these forward references, we cannot of course guarantee their accuracy with the same confidence as is possible in the case of backward references.

Detailed acknowledgments of obligations to previous writers have not very often been possible, as we have had to transform whatever we have borrowed, in order to adapt it to our system and our notation. Our chief obligations will be obvious to every reader who is familiar with the literature of the subject. In the matter of notation, we have as far as possible followed Peano, supplementing his notation, when necessary, by that of Frege or by that of Schröder. A great deal of the symbolism, however, has had to be new, not so much through dissatisfaction with the symbolism of others, as through the fact that we deal with ideas not previously symbolised. In all